

Fig. 1




Fig. 2




Fig. 3

```
<?xml version="1.0"?>
<!DOCTYPE department SYSTEM "sample.dtd">
<A>
  <B>
    <D>String1</D>
  </B>
  <C>
    <E>
      <G>String2</G>
    </E>
    <F>
      <G>String3</G>
    </F>
    <E>
      <H>
        <G>String4</G>
      </H>
    </E>
  </C>
</A>
```

Fig. 4

```

<?xml version="1.0"?>
<!DOCTYPE department SYSTEM "sample.dtd">
<A>
  <B>
    <D>□</D>
  </B>
  <C>
    <E>
      <G>□</G>
    </E>
    <F>
      <G>□</G>
    </F>
    <E>
      <H>
        <G>□</G>
      </H>
    </E>
  </C>
</A>

```

Fig. 5

```

<ELEMENT A (B, C)>
<ELEMENT B (D)>
<ELEMENT C (E|F)*>
<ELEMENT E (G|H)>
<ELEMENT F (G)>
<ELEMENT H (G)>
<ELEMENT D (#PCDATA)>
<ELEMENT G (#PCDATA)>

```

Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

D T D

Before conversion	After conversion
<pre> <!ELEMENT department (employee)> <!ELEMENT employee (name, email)> <!ATTLIST employee serialNo CDATA #REQUIRED> <!ATTLIST employee manager CDATA #IMPLIED> <!ELEMENT name (#PCDATA)> <!ELEMENT email (#PCDATA)> </pre>	<pre> <!ELEMENT department (employee)> <!ELEMENT employee (serialNo, manager?, name, email)> <!ELEMENT serialNo (#PCDATA)> <!ELEMENT manager (#PCDATA)> <!ELEMENT name (#PCDATA)> <!ELEMENT email (#PCDATA)> </pre>

Fig. 12

XML document

Before conversion	After conversion
<pre><department serialNo="012345" manager="yes"> <name>aaaaa</name> <email>mail@address.com</email> </department></pre>	<pre><department <serialNo>012345</serialNo> <manager>yes</manager> <name>aaaaa</name> <email>mail@address.com</email> </department></pre>

Fig. 13




Fig. 14




Fig. 15